

# MURPHY Controls & Instrumentation

## directly available from MOTORTECH

### LM500 Series – Oil Level Maintainer

- Test Feature (TF) allows test of float and switch
- Direct Mount (DM) capable
- Eliminates under/overflow due to “human error”
- See oil level and condition without shutting down
- Simple installation
- Automatically maintains lube level
- Low level, 3-wire, snap-action switch
- Positive sealing Thumb-Valve™  
Not intended for use with fuel

Get detailed technical information  
and price information  
by sending a request to:  
[murphy@motortech.de](mailto:murphy@motortech.de)



**MOTORTECH now offers all MURPHY Liquid Control Products for Industrial Engines off the shelf for attractive pricing.**  
**We would be happy to provide a detailed quotation.**


Get detailed technical information  
and price information  
by sending a request to:  
[murphy@motortech.de](mailto:murphy@motortech.de)

### L129 Series – Lube Level Switchgauge

- Check Lube Level Without Shutting Down
- Use On Engines, Pumps, And Compressors
- Combination Indicating Gage with Low and High Limit Switch
- Float Operated

There are two models in the L129 Series: L129 and L129CK1. The L129 model is designed for grounded, low voltage electrical systems.

The L129CK1 was designed for applications requiring a three-wire, above ground electrical circuit.



### LR857 – Oil Level Maintainer

- Eliminates under/overfill due to “human error”
- Simple installation
- Automatically maintains lube level
- Low level switch
- Models to fit varied applications
- Positive sealing thumb-valve™
- Recommended for small to medium volume applications that require a 3-wire snap action switch

### L150 Series – Level Switchgauge

- Monitors Level of Coolant, Lube Oil, Diesel Fuel and Hydraulic Fluid
- Indicating Gauge
- Low Limit Switch
- Float Operated
- Explosion-Proof Model Is Available



Get detailed technical information and price information by sending a request to: [murphy@motortech.de](mailto:murphy@motortech.de)



### LM300 Series – Oil Level Maintainer

- Maintains proper lube level
- Shutdown on low level, or high and low level
- Low level alarm before shutdown
- Manual float switch test
- High visibility “Frog Eye” lens
- Optional pipe or universal mounting brackets
- Optional inlet orifices for low to high pressure applications
- Explosion-proof models available (CSA certified for Class I, Division 1 Hazardous areas)
- Applications: Engines, Pumps, Compressors, Coolers

## When things get hot our Service Team is at your site quickly.



Regardless of which part of the globe we need to travel to. We know that the stakes are high, and therefore we outperform the others. That is because we want everything to run smoothly at your site, everywhere and at any time.



This is entirely in keeping up with our motto: Let us drop everything and work on your problem!



Distribution partner for DENSO spark plugs



### MOTORTECH GmbH

Hogrevestr. 21-23  
29223 Celle  
Phone: +49 5141 93 99 0  
Fax: +49 5141 93 99 99  
[www.motortech.de](http://www.motortech.de)  
[motortech@motortech.de](mailto:motortech@motortech.de)

### MOTORTECH Americas, LLC

1400 Dealers Avenue, Suite A  
New Orleans, LA 70123  
Phone: +1 504 355 4212  
Fax: +1 504 355 4217  
[www.motortechamericas.com](http://www.motortechamericas.com)  
[info@motortechamericas.com](mailto:info@motortechamericas.com)

Distributed by:

#### Copyright

The copyright for all materials used in this MOTORTECH publication is reserved. Any kind of duplication or use of objects such as pictures or texts in other electronic or printed publications without approval by MOTORTECH is not permitted.

#### Trademark Information

All OEM names and part numbers shown are for reference purposes only. All trademarks, logos and symbols used or shown in this MOTORTECH publication are exclusive objects to the right of their owners and are used for reference purposes only.